

INDUSTRIAL MODULAR SYSTEM (IMS)

IMS Product Overview

- IMS Single Door Enclosures
- IMS Two Door Enclosures
- IMS Single Door with Slave Door Disconnect
- IMS Two Door with Slave Door Disconnect
- Plinth Bases with Black Textured Finish
- Galvanized Sub-Panels
- Galvanized Filler Plates
- Mounting Grids
- Dead Front/Swing Panels
- Barrier Plates
- Rack Angles
- Mounting Grids
- Mounting Angles
- Gland Plates

IMS

- The IMS design is a heavy-duty one piece construction with integrated mounting channels in the top and bottom of the enclosure, making it more flexible and easier to expand and integrate
- 40 different sizes
- 98 grid mounting options & accessories to accommodate hundreds of configurations

IMS Attributes

- Type 3R, 12 construction
- Heavy-duty one piece
- Finished RAL 7035 gray in and out (custom colors available)
- Open on Left and Right
- Easily interconnected and interlocked
- Easy to install panels
- Panels are installed to mounting channels and are adjustable the full depth of the enclosure
- SCE exclusive concealed hinge
- SCE heavy-duty padlocking handles with 3-point hardware
- Flange trough collar
- Hinged slave door is provided on disconnect enclosures
- Grid mounting available to take full advantage of internal space
- Gland plate provided in bottom of enclosure

IMS Single Door Enclosures

IMS Single Door Enclosures w/ Slave Door Disconnect



IMS Single Door Enclosures

Catalog No.	Height	Ref. mm Height	Width	Ref. mm Width	Depth	Ref. mm Depth	Industry Standard	List Price
SCE-S180605LG	70.87	1800	23.62	600	18.00	500	IS1	1,295.18
SCE-S180606LG	70.87	1800	23.62	600	22.00	600	IS1	1,369.60
SCE-S180805LG	70.87	1800	31.50	800	18.00	500	IS1	1,500.83
SCE-S180806LG	70.87	1800	31.50	800	22.00	600	IS1	1,592.96
SCE-S181005LG	70.87	1800	39.37	1000	18.00	500	IS1	1,658.32
SCE-S181006LG	70.87	1800	39.37	1000	22.00	600	IS1	1,757.74
SCE-S200605LG	78.74	2000	23.62	600	18.00	500	IS1	1,375.64
SCE-S200606LG	78.74	2000	23.62	600	22.00	600	IS1	1,457.21
SCE-S200805LG	78.74	2000	31.50	800	18.00	500	IS1	1,588.55
SCE-S200806LG	78.74	2000	31.50	800	22.00	600	IS1	1,687.83
SCE-S201005LG	78.74	2000	39.37	1000	18.00	500	IS1	1,760.00
SCE-S201006LG	78.74	2000	39.37	1000	22.00	600	IS1	1,866.38

IMS Single Door Enclosures w/ Slave Door Disconnect

Catalog No.	Height	Ref. mm Height	Width	Ref. mm Width	Depth	Ref. mm Depth	Industry Standard	List Price
SCE-SD180805LG	70.87	1800	31.50	800	18.00	500	IS1	1,809.40
SCE-SD180806LG	70.87	1800	31.50	800	22.00	600	IS1	1,901.53
SCE-SD181005LG	70.87	1800	39.37	1000	18.00	500	IS1	1,966.89
SCE-SD181006LG	70.87	1800	39.37	1000	22.00	600	IS1	2,066.31
SCE-SD181205LG	70.87	1800	47.24	1200	18.00	500	IS1	2,124.52
SCE-SD181206LG	70.87	1800	47.24	1200	22.00	600	IS1	2,230.42
SCE-SD200805LG	78.74	2000	31.50	800	18.00	500	IS1	1,897.12
SCE-SD200806LG	78.74	2000	31.50	800	22.00	600	IS1	1,996.40
SCE-SD201005LG	78.74	2000	39.37	1000	18.00	500	IS1	2,068.57
SCE-SD201006LG	78.74	2000	39.37	1000	22.00	600	IS1	2,174.95
SCE-SD201205LG	78.74	2000	47.24	1200	18.00	500	IS1	2,294.38
SCE-SD201206LG	78.74	2000	47.24	1200	22.00	600	IS1	2,371.41

IMS Two Door Enclosures

IMS Two Door Enclosures w/ Slave Door Disconnect



IMS Two Door Enclosures

Catalog No.	Height	Ref. mm Height	Width	Ref. mm Width	Depth	Ref. mm Depth	Industry Standard	List Price
SCE-T181205LG	70.87	1800	47.24	1200	18.00	500	IS1	1,898.23
SCE-T181206LG	70.87	1800	47.24	1200	22.00	600	IS1	2,004.13
SCE-T181605LG	70.87	1800	62.99	1600	18.00	500	IS1	2,217.42
SCE-T181606LG	70.87	1800	62.99	1600	22.00	600	IS1	2,328.65
SCE-T201205LG	78.74	2000	47.24	1200	18.00	500	IS1	2,014.20
SCE-T201206LG	78.74	2000	47.24	1200	22.00	600	IS1	2,127.40
SCE-T201605LG	78.74	2000	62.99	1600	18.00	500	IS1	2,367.49
SCE-T201606LG	78.74	2000	62.99	1600	22.00	600	IS1	2,486.21

IMS Two Door Enclosures w/ Slave Door Disconnect

Catalog No.	Height	Ref. mm Height	Width	Ref. mm Width	Depth	Ref. mm Depth	Industry Standard	List Price
SCE-TD181605LG	70.87	1800	62.99	1600	18.00	500	IS1	2,289.09
SCE-TD181606LG	70.87	1800	62.99	1600	22.00	600	IS1	2,394.99
SCE-TD181805LG	70.87	1800	70.87	1800	18.00	500	IS1	2,608.27
SCE-TD181806LG	70.87	1800	70.87	1800	22.00	600	IS1	2,719.51
SCE-TD201605LG	78.74	2000	62.99	1600	18.00	500	IS1	2,405.06
SCE-TD201606LG	78.74	2000	62.99	1600	22.00	600	IS1	2,518.26
SCE-TD201805LG	78.74	2000	70.87	1800	18.00	500	IS1	2,758.35
SCE-TD201806LG	78.74	2000	70.87	1800	22.00	600	IS1	2,877.07

Plinth Base

Designed to install under an enclosure to provide space for cables to enter from below and raise the enclosure up off the floor. Plinth bases are stackable to acquire desired height off the floor. Black textured powder coat finish.

Galvanized Sub-Panel

Subpanels are constructed from galvanized steel for direct bonding of electrical components.

Galvanized Filler Plate

Designed to provide additional mounting surface between subpanels or sections of a modular enclosure. Slotted mounting holes allow flexible installation.

Dead Front/Swing Panel

Designed to allow a standard sub-panel to be installed in the front of an enclosure and to swing out of the enclosure. Powder coated white.

Barrier Plate

Designed to serve as a barrier between two IMS enclosure sections. Made of heavy gauge steel and powder coated RAL 7035 gray.



Single Door Plinth Base

Catalog No.	Height	Ref. mm Height	Width	Used with Enclosure Ref. mm Width	Depth	Used with Enclosure Ref. mm Depth	Product Code	List Price
SCE-P010605	3.94	100	23.62	600	18.00	500	P5	166.64
SCE-P010606	3.94	100	23.62	600	22.00	600	P5	174.75
SCE-P010805	3.94	100	31.50	800	18.00	500	P5	182.67
SCE-P010806	3.94	100	31.50	800	22.00	600	P5	190.78
SCE-P011005	3.94	100	39.37	1000	18.00	500	P5	198.93
SCE-P011006	3.94	100	39.37	1000	22.00	600	P5	206.70

Two Door Plinth Base

Catalog No.	Height	Ref. mm Height	Width	Used with Enclosure Ref. mm Width	Depth	Used with Enclosure Ref. mm Depth	Product Code	List Price
SCE-P011205	3.94	100	47.24	1200	18.00	500	P5	235.05
SCE-P011206	3.94	100	47.24	1200	22.00	600	P5	243.45
SCE-P011605	3.94	100	62.99	1600	18.00	500	P5	267.15
SCE-P011606	3.94	100	62.99	1600	22.00	600	P5	275.26
SCE-P011805	3.94	100	70.87	1800	18.00	500	P5	298.92
SCE-P011806	3.94	100	70.87	1800	22.00	600	P5	307.03

Single Door Galvanized Sub-Panel

Catalog No.	Height	Ref. mm Height	Used with Enclosure		Ref. mm Width	Used with Enclosure		Product Code	List Price
			Ref. mm Height	Width		Ref. mm Width	Width		
SCE-SP1806G	66.44	1687.50	1800	19.69	500	600 & 1200	P5	252.06	
SCE-SP1808G	66.44	1687.50	1800	27.56	700	800 & 1600	P5	311.26	
SCE-SP1809G	66.44	1687.50	1800	31.50	800	900 & 1800	P5	340.09	
SCE-SP1810G	66.44	1687.50	1800	35.43	900	1000	P5	368.92	
SCE-SP2006G	74.31	1887.50	2000	19.69	500	600 & 1200	P5	273.49	
SCE-SP2008G	74.31	1887.50	2000	27.56	700	800 & 1600	P5	337.77	
SCE-SP2009G	74.31	1887.50	2000	31.50	800	900 & 1800	P5	370.01	
SCE-SP2010G	74.31	1887.50	2000	35.43	900	1000	P5	402.22	

Two Door Galvanized Sub-Panel

Catalog No.	Height	Ref. mm Height	Used with Enclosure		Ref. mm Width	Used with Enclosure		Product Code	List Price
			Ref. mm Height	Width		Ref. mm Width	Width		
SCE-SP1812G	66.44	1687.50	1800	43.31	1100	1200	P5	478.73	
SCE-SP1816G	66.44	1687.50	1800	59.06	1500	1600	P5	594.01	
SCE-SP1818G	66.44	1687.50	1800	66.93	1700	1800	P5	651.70	
SCE-SP2012G	74.31	1887.50	2000	43.31	1100	1200	P5	520.20	
SCE-SP2016G	74.31	1887.50	2000	59.06	1500	1600	P5	648.92	
SCE-SP2018G	74.31	1887.50	2000	66.93	1700	1800	P5	713.23	

Galvanized Filler Plate

Catalog No.	Height	Ref. mm Height	Width	Ref. mm Width	Used with Enclosure	Product Code	List Price
					Ref. mm Height		
SCE-FP18G	66.44	1687.50	19.69	500	600 & 1200	P5	97.10
SCE-FP20G	74.31	1887.50	35.43	900	1000	P5	104.66

Dead Front/Swing Panel

Catalog No.	Height	Ref. mm Height	Width	Ref. mm Width	Used with Enclosure	Used with Enclosure	Product Code	List Price
					Ref. mm Height	Ref. mm Width		
SCE-DF1806	65.88	1675.35	19.38	492.25	1800	600 & 1200	P5	308.83
SCE-DF1808	65.88	1675.35	27.25	692.15	1800	800 & 1600	P5	351.82
SCE-DF1809	65.88	1675.35	31.25	793.75	1800	1800	P5	373.63
SCE-DF1810	65.88	1675.35	35.13	892.30	1800	1000	P5	394.84
SCE-DF2006	73.75	1873.25	19.38	492.25	2000	600 & 1200	P5	322.38
SCE-DF2008	73.75	1873.25	27.25	692.15	2000	800 & 1600	P5	370.37
SCE-DF2009	73.75	1873.25	31.25	793.75	2000	1800	P5	394.69
SCE-DF2010	73.75	1873.25	35.13	892.30	2000	1000	P5	418.36

Barrier Plate

Catalog No.	Height	Used with Enclosure	Width	Used with Enclosure	Product Code	List Price
		Ref. mm Height		Ref. mm Width		
SCE-BP1805LG	70.37	1800	17.50	500	P5	174.00
SCE-BP1806LG	70.37	1800	21.50	600	P5	180.00
SCE-BP2005LG	78.24	1800	17.50	500	P5	186.00
SCE-BP2006LG	78.24	2000	21.50	600	P5	200.00

Horizontal Mounting Grid

Designed to provide a horizontal extension of the frame holes in the sides of the IMS enclosure. Sold in sets of two and mounting hardware is included. Made of galvanized material.

Vertical Mounting Grid

Designed to provide a vertical extension from top to bottom of the IMS Enclosure. Sold in sets of two and mounting hardware is included. Made of galvanized material.

Grid Mounting Angle

Designed to provide flexible mounting of horizontal and vertical mounting grids. Made of galvanized material.



Horizontal Mounting Grid

Catalog No.	Width	Ref. mm Width	Quantity Per Kit	Product Code	List Price
SCE-HMG175	6.89	175	2	P5	19.27
SCE-HMG225	8.88	225	2	P5	20.90
SCE-HMG300	11.81	300	2	P5	23.19
SCE-HMG400	15.75	400	2	P5	26.45
SCE-HMG475	18.70	475	2	P5	28.75
SCE-HMG575	22.62	575	2	P5	32.75
SCE-HMG675	26.56	675	2	P5	35.93
SCE-HMG775	30.50	775	2	P5	38.97

Vertical Mounting Grid

Catalog No.	Height	Ref. mm Height	Used with Enclosure Ref. mm Height	Quantity Per Kit	Product Code	List Price
SCE-VMG18	66.93	1687.50	600 & 1200	2	P5	81.19
SCE-VMG20	74.80	1887.50	1000	2	P5	87.71


Grid Mounting Angle

Catalog No.	Parts Per Kit	Product Code	List Price
SCE-GMA	4	P5	20.23



Filler Mounting Grid

Designed to provide a flexible extension to the internal mounting system. Filler grid to be installed between the mounting channels and top or bottom of the modular enclosure. Made of galvanized material.



Top-End Mounting Grid

Designed to provide a flexible extension to the mounting system. Top-end grid to be installed in the top of the enclosure between the mounting channel and the side of the enclosure. Made of galvanized material.

End Mounting Grid

Designed to provide a flexible extension to the mounting system. End grid to be attached to the mounting channel in the top or bottom of the enclosure. Made of galvanized material.





Gland Plate

Designed for use in our IMS enclosures to allow for easy removal of the plate for installation of cable entry cutouts into enclosure. Includes seamless oil and water resistant gasket to maintain the environmental rating of the enclosure. Made of heavy gauge steel and powder coated RAL 7035 Gray.

Sliding Gland Plate

Designed to allow for easy cable entry into enclosure. Allows 6 inch of adjustable opening for cable entry and a 1 inch foam lined edge maintains a tight seal. Made of heavy gauge steel and powder coated RAL 7035 Gray.



Filler Mounting Grid

Catalog No.	Length	Ref. mm Length	Used with Enclosure Ref. mm Height	Quantity Per Kit	Product Code	List Price
SCE-FMG05	12.80	325	500	2	P5	38.74
SCE-FMG06	16.73	425	600 & 1200	2	P5	33.54
SCE-FMG08	24.61	625	800 & 1600	2	P5	42.86
SCE-FMG09	28.54	725	900 & 1800	2	P5	47.39
SCE-FMG10	32.47	825	1000	2	P5	51.92
SCE-FMG	10.51	267	1200, 1600 & 1800	2	P5	26.21

Top End Mounting Grid

Catalog No.	Parts Per Kit	Product Code	List Price
SCE-TEMG	2	P5	24.38

End Mounting Grid

Catalog No.	Parts Per Kit	Product Code	List Price
SCE-EMG	2	P5	26.74

Gland Plate

Catalog No.	Description	For use with Enclosure Width	Product Code	List Price
SCE-GP08	IMS GLAND PLATE	600, 1200	P2	75.04
SCE-GP16	IMS GLAND PLATE	800, 1000, 1600, 1800	P2	82.33
SCE-SGP08	IMS SLIDING GLAND PLATE	600, 1200	P2	90.05
SCE-SGP16	IMS SLIDING GLAND PLATE	800, 1000, 1600, 1800	P2	97.33

IMS Single-Door Enclosures

Application -

Can be bolted together in any desired multiple door arrangement.

Designed to house electrical equipment and provide degree of protection from dust, dirt, water and oil. For installation information, consult our Installation Manual at www.saginawcontrol.com.

Construction -

- 0.104" carbon steel.
- Seams continuously welded and ground smooth.
- Flange trough collar around all sides of door opening.
- Heavy duty lifting eyes anchor into reinforced top.
- Body stiffeners in large enclosures for extra rigidity.
- Mounting holes provided in bottom of enclosure for installing plinth base or securing to the floor.
- Concealed hinges.
- Removable and interchangeable doors.
- Black zinc die cast padlocking handle.
- 3-point latching mechanism.
- Mounting channels provided in top and bottom of enclosure.
- Oil resistant gasket.
- Enclosures are provided with provisions for mechanical interlock system expansion.
- Ground stud on door and body.
- Gland plate provided in bottom of enclosure.

Note -

SCE-IMSBK sold separately, required when bolting one enclosure to another.

Accessories - See pages 182 - 192

Finish -

RAL 7035 gray powder coated inside and out.

IS3 - Industry Standards -

NEMA Type 3R, 12 & Type 13
UL Listed Type 3R & 12
CSA Type 3R & 12
IEC 60629 IP55

***Special instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. See the Special Instructions on the Industry Standards page in the Technical Information Section.

(IMS) INDUSTRIAL MODULAR SYSTEM SINGLE-DOOR ENCLOSURES

Catalog No.	ENCLOSURE PRODUCT CODE #1							
	Height (A) Ref. mm (A) Height (A)	Width (B) Ref. mm (B) Width (B)	Depth (C) Ref. mm (C) Depth (C)	Industry Standard	List Price			
SCE-S18060SLG	70.87	1800	23.82	600	18.00	500	IS3	1,285.18
SCE-S18060GLG	70.87	1800	23.82	600	22.00	600	IS3	1,369.60
SCE-S18080SLG	70.87	1800	31.50	800	18.00	500	IS3	1,500.83
SCE-S18080GLG	70.87	1800	31.50	800	22.00	600	IS3	1,592.86
SCE-S18100SLG	70.87	1800	39.37	1000	18.00	500	IS3	1,658.32
SCE-S18100GLG	70.87	1800	39.37	1000	22.00	600	IS3	1,757.44
SCE-S20060SLG	78.74	2000	23.82	600	18.00	500	IS3	1,375.84
SCE-S20060GLG	78.74	2000	23.82	600	22.00	600	IS3	1,457.21
SCE-S20080SLG	78.74	2000	31.50	800	18.00	500	IS3	1,588.55
SCE-S20080GLG	78.74	2000	31.50	800	22.00	600	IS3	1,687.58
SCE-S20100SLG	78.74	2000	39.37	1000	18.00	500	IS3	1,760.00
SCE-S20100GLG	78.74	2000	39.37	1000	22.00	600	IS3	1,866.38





Phone: (980) 799-6871
Fax: (980) 799-4524



IMS SINGLE-DOOR ENCLOSURE

TECHNICAL DATA



IMS Two-Door Enclosures

Application -

Can be bolted together in any desired multiple door arrangement.

Designed to house electrical equipment and provide degree of protection from dust, dirt water and oil. For installation information, consult our Installation Manual at www.saginawcontrol.com.

Construction -

- 0.104" carbon steel
- Seams continuously welded and ground smooth.
- Flange trough collar around all sides of door opening.
- Overlapping doors.
- Heavy duty lifting eyes anchor into reinforced top.
- Body stiffeners in large enclosures for extra rigidity.
- Mounting holes provided in bottom of enclosure for installing plinth base or securing to the floor.
- Concealed hinges.
- Removable and interchangeable doors.
- Black zinc die cast padlocking handle.
- 3-point latching mechanism.
- Mounting channels provided in top and bottom of enclosure.
- Oil resistant gasket.
- Enclosures are provided with provisions for mechanical interlock system expansion.
- Ground stud on door and body.
- Gland plates provided in bottom of enclosure.

Note -

SCE-IMSBK sold separately, required when bolting one enclosure to another.

Accessories - See pages 182 - 192

Finish -

RAL 7035 gray powder coated inside and out.

IS3 - Industry Standards -

NEMA Type 3R, 12 & Type 13
UL Listed Type 3R & 12
CSA Type 3R & 12
IEC 60529 IP55

***Special instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. See the Special Instructions on the Industry Standards page in the Technical Information Section.

(IMS) INDUSTRIAL MODULAR SYSTEM TWO-DOOR ENCLOSURES



Catalog No.	ENCLOSURE PRODUCT CODE #1							
	Height (A)	Ref. mm	Width (B)	Ref. mm	Depth (C)	Ref. mm	Industry Standard	List Price
SCE-T181205LG	70.87	1800	47.24	1200	18.00	500	IS3	1,823.00
SCE-T181206LG	70.87	1800	47.24	1200	22.00	600	IS3	2,004.13
SCE-T181605LG	70.87	1800	62.99	1600	18.00	500	IS3	2,217.42
SCE-T181606LG	70.87	1800	62.99	1600	22.00	600	IS3	2,328.65
SCE-T201205LG	78.74	2000	47.24	1200	18.00	500	IS3	2,014.20
SCE-T201206LG	78.74	2000	47.24	1200	22.00	600	IS3	2,127.40
SCE-T201605LG	78.74	2000	62.99	1600	18.00	500	IS3	2,367.49
SCE-T201606LG	78.74	2000	62.99	1600	22.00	600	IS3	2,486.21



Phone: (980) 799-6871
Fax: (980) 799-4524



IMS TWO-DOOR ENCLOSURE



IMS Single-Door Enclosure with Slave Door Disconnect

Application -

Can be bolted together in any desired multiple door arrangement.

Designed to house electrical equipment and most standard type disconnects and circuit breakers, and provide degree of protection from dust, dirt, water and oil. For installation information, consult our Installation Manual at www.saginawcontrol.com.

Construction -

- 0.104" carbon steel
- Seams continuously welded and ground smooth.
- Flange trough collar around all sides of door opening.
- Heavy duty lifting eyes anchor into reinforced top.
- Body stiffeners in large enclosures for extra rigidity.
- Mounting holes provided in bottom of enclosure for installing plinth base or securing to the floor.
- Concealed hinges
- Removable and interchangeable doors.
- Black zinc die cast conproof/padlocking handle.
- 3-point latching mechanism.
- Large removable print pocket on main door of disconnect enclosures.
- Mounting channels provided in top and bottom of enclosure.
- Oil resistant gasket.
- Enclosures are provided with provisions for mechanical interlock system expansion.
- Ground stud on door and body.
- Gland plates provided in bottom of enclosure.

Note -

SCE-IMSBDK sold separately, required when bolting one enclosure to another.

Accessories - See pages 182 - 192

Finish -

RAL 7035 gray powder coated inside and out.

IS3 - Industry Standards -
NEMA Type 3R, 12 & Type 13
UL Listed Type 3R & 12
CSA Type 3R & 12
IEC 90529 IP55

Special instructions apply for IS3, IS4 and IS5 to maintain the environmental rating of Type 3R for these parts. See the Special Instructions on the Industry Standards page in the Technical Information Section.

(IMS) INDUSTRIAL MODULAR SYSTEM SINGLE-DOOR ENCLOSURE WITH SLAVE DOOR DISCONNECT


ENCLOSURE PRODUCT CODE II							
Catalog No.	Height (A) Ref. mm (Height (A))	Width (B) Ref. mm (Width (B))	Depth (C) Ref. mm (Depth (C))	Industry Standard	Ref. mm (Depth (C))	Industry Standard	List Price
SCE-SD180805LG	70.87	1800	31.50	800	18.00	500	IS3 1,809.40
SCE-SD180806LG	70.87	1800	31.50	900	22.00	600	IS3 1,901.53
SCE-SD181005LG	70.87	1800	39.37	1000	18.00	500	IS3 1,966.69
SCE-SD181006LG	70.87	1800	39.37	1000	22.00	600	IS3 2,066.31
SCE-SD181205LG	70.87	1800	47.24	1200	18.00	500	IS3 2,124.52
SCE-SD181206LG	70.87	1800	47.24	1200	22.00	600	IS3 2,230.42
SCE-SD208065LG	78.74	2000	31.50	800	18.00	500	IS3 1,897.12
SCE-SD208066LG	78.74	2000	31.50	800	22.00	600	IS3 1,996.40
SCE-SD201005LG	78.74	2000	39.37	1000	18.00	500	IS3 2,068.57
SCE-SD201006LG	78.74	2000	39.37	1000	22.00	600	IS3 2,174.95
SCE-SD201205LG	78.74	2000	47.24	1200	18.00	500	IS3 2,294.28
SCE-SD201206LG	78.74	2000	47.24	1200	22.00	600	IS3 2,371.41



Phone: (980) 799-6871
Fax: (980) 799-4524




IMS SINGLE-DOOR ENCLOSURE WITH SLAVE DOOR DISCONNECT



DISCONNECT NOTES:

F = 14.625 (371.48) when A = 70.87 (1800)
F = 18.625 (473.06) when A = 78.74 (2000)



IMS Two-Door Enclosure with Slave Door Disconnect

Application -

Can be bolted together in any desired multiple door arrangement.

Designed to house electrical equipment and most standard type disconnects and circuit breakers, and provide degree of protection from dust, dirt, water and oil. For installation information, consult our Installation Manual at www.saginawcontrol.com.

Construction -

- 0.104" carbon steel.
- Seams continuously welded and ground smooth.
- Flange trough collar around all sides of door opening.
- Heavy duty lifting eyes anchor into reinforced top.
- Body stiffeners in large enclosures for extra rigidity.
- Mounting holes provided in bottom of enclosure for installing plinth base or securing to the floor.
- Concealed hinges.
- Removable and interchangeable doors.
- Black zinc die cast camproof/padlocking handle on main door, padlocking on all other doors.
- 3-point latching mechanism.
- Large removable print pocket on main door of disconnect enclosures.
- Mounting channels provided in top and bottom of enclosure.
- Oil resistant gasket.
- Mechanical interlock provided on two door disconnect enclosures and all enclosures are provided with provisions for system expansion.
- Ground stud on door and body.
- Gland plates provided in bottom of enclosure.

Note -

SCE-IMS BK sold separately, required when bolting one enclosure to another.

Accessories - See pages 182 - 192

Finish -

RAL 7035 gray powder coated inside and out.

IS3 - Industry Standards -
NEMA Type 3R, 12 & Type 13
UL Listed Type 3R & 12
CSA Type 3R & 12
IEC 60529 IP55

**Special instructions apply for IS3, IS4 and IS6 to maintain the environmental rating of Type 3R for these parts. See the Special Instructions on the Industry Standards page in the Technical Information Section.

(IMS) INDUSTRIAL MODULAR SYSTEM TWO-DOOR ENCLOSURE WITH SLAVE DOOR DISCONNECT

ENCLOSURE PRODUCT CODE 11


Catalog No.	Height (A) [Height (A)]	Ref. mm	Width (B) [Width (B)]	Ref. mm	Depth (C) [Depth (C)]	Ref. mm	Industry Standard	List Price
SCE-TD181605LG	70.87	1800	62.99	1600	18.00	500	IS3	2,289.09
SCE-TD181606LG	70.87	1800	62.99	1600	22.00	600	IS3	2,394.99
SCE-TD181805LG	70.87	1800	70.87	1800	18.00	500	IS3	2,608.27
SCE-TD181806LG	70.87	1800	70.87	1800	22.00	600	IS3	2,719.51
SCE-TD201605LG	78.74	2000	62.99	1600	18.00	500	IS3	2,405.06
SCE-TD201606LG	78.74	2000	62.99	1600	22.00	600	IS3	2,518.26
SCE-TD201805LG	78.74	2000	70.87	1800	18.00	500	IS3	2,758.35
SCE-TD201806LG	78.74	2000	70.87	1800	22.00	600	IS3	2,877.07




Phone (989) 799-6871
Fax (989) 799-4524



IMS TWO-DOOR ENCLOSURE WITH SLAVE DOOR DISCONNECT



DISCONNECT NOTES:
F = 13.625 (371.48) when A = 70.87 (1800)
F = 18.625 (473.08) when A = 78.74 (2000)



OPEN BOTH SIDES

IMS SINGLE-DOOR ENCLOSURES

PART NUMBER	DESCRIPTION	SCE-S1800SLG	SCE-S1800SLG	SCE-S1800SLG	SCE-S1800SLG	SCE-S1810SLG	SCE-S1810SLG	SCE-S2000SLG	SCE-S2000SLG	SCE-S2000SLG	SCE-S2000SLG	SCE-S2010SLG	SCE-S2010SLG
SCE-BP1805LG	Barrier Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-BP1806LG	Barrier Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-BP2005LG	Barrier Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-BP2006LG	Barrier Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-EP1805LG	End Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-EP1806LG	End Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-EP2005LG	End Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-EP2006LG	End Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-GP05	IMS Gland Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-GP16	IMS Gland Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SGP08	IMS Sliding Gland Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SGP16	IMS Sliding Gland Plate	*	*	*	*	*	*	*	*	*	*	*	*
SCE-P01005	Single-Door Plinth Base	*	*	*	*	*	*	*	*	*	*	*	*
SCE-P01006	Single-Door Plinth Base	*	*	*	*	*	*	*	*	*	*	*	*
SCE-P01005	Single-Door Plinth Base	*	*	*	*	*	*	*	*	*	*	*	*
SCE-P01006	Single-Door Plinth Base	*	*	*	*	*	*	*	*	*	*	*	*
SCE-P01105	Single-Door Plinth Base	*	*	*	*	*	*	*	*	*	*	*	*
SCE-P01106	Single-Door Plinth Base	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SP1806G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SP1803G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SP1810G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SP2006G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SP2008G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SP2010G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*	*	*
SCE-FP18G	Filler Plates (Galvanized)	*	*	*	*	*	*	*	*	*	*	*	*
SCE-FP20G	Filler Plates (Galvanized)	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SPMP05	Sub-Panel Mounting Strap	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SPMP06	Sub-Panel Mounting Strap	*	*	*	*	*	*	*	*	*	*	*	*
SCE-FMA	Floor Mounting Angles	*	*	*	*	*	*	*	*	*	*	*	*
SCE-IMSBK	IMS Bolt Pack	*	*	*	*	*	*	*	*	*	*	*	*
SCE-DF1806	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*	*	*
SCE-DF1808	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*	*	*
SCE-DF1810	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*	*	*
SCE-DF2006	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*	*	*
SCE-DF2008	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*	*	*
SCE-DF2010	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*	*	*
SCE-URA18	U - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*	*	*
SCE-URA20	U - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*	*	*
SCE-LRA18	L - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*	*	*
SCE-LRA20	L - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*	*	*
SCE-SDM	IMS Slave Door Mechanical Interlock Kit	*	*	*	*	*	*	*	*	*	*	*	*
SCE-MDM	IMS Main Single-Door Interlock Kit	*	*	*	*	*	*	*	*	*	*	*	*
SCE-VMG18	Vertical Mounting Grid	*	*	*	*	*	*	*	*	*	*	*	*
SCE-VMG20	Vertical Mounting Grid	*	*	*	*	*	*	*	*	*	*	*	*
SCE-TEMG	Top End Mounting Grid	*	*	*	*	*	*	*	*	*	*	*	*
SCE-EMG	End Mounting Grid	*	*	*	*	*	*	*	*	*	*	*	*
SCE-FMG06	Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*	*	*
SCE-FMG08	Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*	*	*
SCE-FMG10	Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*	*	*
SCE-20POS	Pullout Shelf	*	*	*	*	*	*	*	*	*	*	*	*
SCE-22VEPOS	Vented Pullout Shelf	*	*	*	*	*	*	*	*	*	*	*	*
SCE-20STS	Stationary Shelf	*	*	*	*	*	*	*	*	*	*	*	*
SCE-20VESTS	Vented Stationary Shelf	*	*	*	*	*	*	*	*	*	*	*	*

IMS TWO-DOOR ENCLOSURES

PART NUMBER	DESCRIPTION	SCE-T18120SLG	SCE-T18120SLG	SCE-T18160SLG	SCE-T18160SLG	SCE-T20120SLG	SCE-T20120SLG	SCE-T20160SLG	SCE-T20160SLG
SCE-BP1805LG	Barrier Plate	*	*	*	*	*	*	*	*
SCE-BP1806LG	Barrier Plate	*	*	*	*	*	*	*	*
SCE-BP2005LG	Barrier Plate	*	*	*	*	*	*	*	*
SCE-BP2006LG	Barrier Plate	*	*	*	*	*	*	*	*
SCE-EP1805LG	End Plate	*	*	*	*	*	*	*	*
SCE-EP1806LG	End Plate	*	*	*	*	*	*	*	*
SCE-EP2005LG	End Plate	*	*	*	*	*	*	*	*
SCE-EP2006LG	End Plate	*	*	*	*	*	*	*	*
SCE-P01120S	Two-Door Plinth Base	*	*	*	*	*	*	*	*
SCE-GP08	IMS Gland Plate	*	*	*	*	*	*	*	*
SCE-GP16	IMS Gland Plate	*	*	*	*	*	*	*	*
SCE-SGP08	IMS Sliding Gland Plate	*	*	*	*	*	*	*	*
SCE-SGP16	IMS Sliding Gland Plate	*	*	*	*	*	*	*	*
SCE-P01120S	Single-Door Plinth Base	*	*	*	*	*	*	*	*
SCE-P01160S	Two-Door Plinth Base	*	*	*	*	*	*	*	*
SCE-P01160G	Two-Door Plinth Base	*	*	*	*	*	*	*	*
SCE-SP1806G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*
SCE-SP1808G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*
SCE-SP2006G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*
SCE-SP2008G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*
SCE-SP1812G	Two-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*
SCE-SP1816G	Two-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*
SCE-SP2012G	Two-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*
SCE-SP2016G	Two-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*
SCE-FP18G	Filler Plates (Galvanized)	*	*	*	*	*	*	*	*
SCE-FP20G	Filler Plates (Galvanized)	*	*	*	*	*	*	*	*
SCE-SPMP05	Sub-Panel Mounting Strap	*	*	*	*	*	*	*	*
SCE-SPMP06	Sub-Panel Mounting Strap	*	*	*	*	*	*	*	*
SCE-FMA	Floor Mounting Angles	*	*	*	*	*	*	*	*
SCE-IMSBK	IMS Bolt Pack	*	*	*	*	*	*	*	*
SCE-DF1806	Dead Front/Swing Panel	*	*	*	*	*	*	*	*
SCE-DF1808	Dead Front/Swing Panel	*	*	*	*	*	*	*	*
SCE-DF1810	Dead Front/Swing Panel	*	*	*	*	*	*	*	*
SCE-DF2006	Dead Front/Swing Panel	*	*	*	*	*	*	*	*
SCE-DF2008	Dead Front/Swing Panel	*	*	*	*	*	*	*	*
SCE-DF2010	Dead Front/Swing Panel	*	*	*	*	*	*	*	*
SCE-URA18	U - Shape Rack Angles	*	*	*	*	*	*	*	*
SCE-URA20	U - Shape Rack Angles	*	*	*	*	*	*	*	*
SCE-LRA18	L - Shape Rack Angles	*	*	*	*	*	*	*	*
SCE-LRA20	L - Shape Rack Angles	*	*	*	*	*	*	*	*
SCE-SDMI	IMS Slave Door Mechanical Interlock Kit	*	*	*	*	*	*	*	*
SCE-MDMI	IMS Main Single-Door Interlock Kit	*	*	*	*	*	*	*	*
SCE-VMG18	Vertical Mounting Grid	*	*	*	*	*	*	*	*
SCE-VMG20	Vertical Mounting Grid	*	*	*	*	*	*	*	*
SCE-TEMG	Top End Mounting Grid	*	*	*	*	*	*	*	*
SCE-EMG	End Mounting Grid	*	*	*	*	*	*	*	*
SCE-FMG06	Filler Mounting Grid	*	*	*	*	*	*	*	*
SCE-FMG08	Filler Mounting Grid	*	*	*	*	*	*	*	*
SCE-FMG10	Filler Mounting Grid	*	*	*	*	*	*	*	*
SCE-20POS	Pullout Shelf	*	*	*	*	*	*	*	*
SCE-22VEPOS	Vented Pullout Shelf	*	*	*	*	*	*	*	*
SCE-20STS	Stationary Shelf	*	*	*	*	*	*	*	*
SCE-20VESTS	Vented Stationary Shelf	*	*	*	*	*	*	*	*

IMS SINGLE-DOOR ENCLOSURES WITH SLAVE DOOR DISCONNECT

PART NUMBER	DESCRIPTION										
		SCE-S01800ALG	SCE-S01800ALG	SCE-S018100ALG	SCE-S018100ALG	SCE-S018120ALG	SCE-S018120ALG	SCE-S02000ALG	SCE-S02000ALG	SCE-S020100ALG	SCE-S020120ALG
SCE-BP1805LG	Barrier Plate	*									
SCE-BP1806LG	Barrier Plate		*								
SCE-BP2005LG	Barrier Plate			*							
SCE-BP2006LG	Barrier Plate				*						
SCE-EP1805LG	End Plate	*	*	*	*	*	*	*	*	*	*
SCE-EP1806LG	End Plate		*	*	*	*	*	*	*	*	*
SCE-EP2005LG	End Plate			*	*	*	*	*	*	*	*
SCE-EP2006LG	End Plate				*	*	*	*	*	*	*
SCE-GP05	IMS Gland Plate	*	*	*	*	*	*	*	*	*	*
SCE-GP16	IMS Gland Plate	*	*	*	*	*	*	*	*	*	*
SCE-SGP08	IMS Sliding Gland Plate	*	*	*	*	*	*	*	*	*	*
SCE-SGP16	IMS Sliding Gland Plate	*	*	*	*	*	*	*	*	*	*
SCE-P010805	Single-Door Plinth Base	*	*	*	*	*	*	*	*	*	*
SCE-P010806	Single-Door Plinth Base		*	*	*	*	*	*	*	*	*
SCE-P011005	Single-Door Plinth Base			*	*	*	*	*	*	*	*
SCE-P011006	Single-Door Plinth Base				*	*	*	*	*	*	*
SCE-P011205	Two-Door Plinth Base			*	*	*	*	*	*	*	*
SCE-P011206	Two-Door Plinth Base				*	*	*	*	*	*	*
SCE-SP1805G	Single-Door Sub-Panel (Galvanized)			*	*	*	*	*	*	*	*
SCE-SP1806G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SP1810G	Single-Door Sub-Panel (Galvanized)		*	*	*	*	*	*	*	*	*
SCE-SP1812G	Two-Door Sub-Panel (Galvanized)			*	*	*	*	*	*	*	*
SCE-SP2005G	Single-Door Sub-Panel (Galvanized)			*	*	*	*	*	*	*	*
SCE-SP2006G	Single-Door Sub-Panel (Galvanized)				*	*	*	*	*	*	*
SCE-SP2010G	Single-Door Sub-Panel (Galvanized)				*	*	*	*	*	*	*
SCE-SP2012G	Two-Door Sub-Panel (Galvanized)				*	*	*	*	*	*	*
SCE-FP18G	Filler Plates (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-FP20G	Filler Plates (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SPMP05	Sub-Panel Mounting Strap	*	*	*	*	*	*	*	*	*	*
SCE-SPMP06	Sub-Panel Mounting Strap	*	*	*	*	*	*	*	*	*	*
SCE-FMA	Floor Mounting Angles	*	*	*	*	*	*	*	*	*	*
SCE-IMSBK	IMS Bolt Pack	*	*	*	*	*	*	*	*	*	*
SCE-DF1806	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-DF1808	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-DF1810	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-DF2006	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-DF2008	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-DF2010	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-URA18	U - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*
SCE-URA20	U - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*
SCE-LRA18	L - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*
SCE-LRA20	L - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*
SCE-SDM1	IMS Slave Door Mechanical Interlock Kit	*	*	*	*	*	*	*	*	*	*
SCE-MDM1	IMS Main Single-Door Interlock Kit	*	*	*	*	*	*	*	*	*	*
SCE-VMG18	Vertical Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-VMG20	Vertical Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-TEMG	Top End Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-EMG	End Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-FMG06	Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-FMG08	Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-FMG10	Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-FMG	Center Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-20POS	Pullout Shelf	*	*	*	*	*	*	*	*	*	*
SCE-22VEPOS	Vented Pullout Shelf	*	*	*	*	*	*	*	*	*	*
SCE-20STS	Stationary Shelf	*	*	*	*	*	*	*	*	*	*
SCE-20VESTS	Vented Stationary Shelf	*	*	*	*	*	*	*	*	*	*

IMS TWO-DOOR ENCLOSURES WITH SLAVE DOOR DISCONNECT


PART NUMBER	DESCRIPTION										
		SCE-TD181800ALG	SCE-TD181800ALG	SCE-TD181800ALG	SCE-TD181800ALG	SCE-TD201800ALG	SCE-TD201800ALG	SCE-TD201800ALG	SCE-TD201800ALG	SCE-TD201800ALG	SCE-TD201800ALG
SCE-BP1805LG	Barrier Plate	*	*	*	*	*	*	*	*	*	*
SCE-BP1806LG	Barrier Plate		*	*	*	*	*	*	*	*	*
SCE-BP2005LG	Barrier Plate			*	*	*	*	*	*	*	*
SCE-BP2006LG	Barrier Plate				*	*	*	*	*	*	*
SCE-EP1805LG	End Plate	*	*	*	*	*	*	*	*	*	*
SCE-EP1806LG	End Plate	*	*	*	*	*	*	*	*	*	*
SCE-EP2005LG	End Plate	*	*	*	*	*	*	*	*	*	*
SCE-EP2006LG	End Plate	*	*	*	*	*	*	*	*	*	*
SCE-GP16	IMS Gland Plate	*	*	*	*	*	*	*	*	*	*
SCE-SGP16	IMS Sliding Gland Plate	*	*	*	*	*	*	*	*	*	*
SCE-P011605	Two-Door Plinth Base	*	*	*	*	*	*	*	*	*	*
SCE-P011606	Two-Door Plinth Base		*	*	*	*	*	*	*	*	*
SCE-P011805	Two-Door Plinth Base		*	*	*	*	*	*	*	*	*
SCE-P011806	Two-Door Plinth Base			*	*	*	*	*	*	*	*
SCE-SP1808G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SP1809G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SP2008G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SP2009G	Single-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SP1816G	Two-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SP1818G	Two-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SP2016G	Two-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SP2018G	Two-Door Sub-Panel (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-FP18G	Filler Plates (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-FP20G	Filler Plates (Galvanized)	*	*	*	*	*	*	*	*	*	*
SCE-SPMP05	Sub-Panel Mounting Strap	*	*	*	*	*	*	*	*	*	*
SCE-SPMP06	Sub-Panel Mounting Strap	*	*	*	*	*	*	*	*	*	*
SCE-FMA	Floor Mounting Angles	*	*	*	*	*	*	*	*	*	*
SCE-IMSBK	IMS Bolt Pack	*	*	*	*	*	*	*	*	*	*
SCE-DF1808	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-DF1809	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-DF2008	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-DF2009	Dead Front/Swing Panel	*	*	*	*	*	*	*	*	*	*
SCE-URA18	U - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*
SCE-URA20	U - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*
SCE-LRA18	L - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*
SCE-LRA20	L - Shape Rack Angles	*	*	*	*	*	*	*	*	*	*
SCE-MDM1	IMS Main Single-Door Interlock Kit	*	*	*	*	*	*	*	*	*	*
SCE-MDM2	IMS Main Two-Door Interlock Kit	*	*	*	*	*	*	*	*	*	*
SCE-VMG18	Vertical Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-VMG20	Vertical Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-TEMG	Top End Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-EMG	End Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-FMG08	Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-FMG06	Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-FMG	Center Filler Mounting Grid	*	*	*	*	*	*	*	*	*	*
SCE-20POS	Pullout Shelf	*	*	*	*	*	*	*	*	*	*
SCE-22VEPOS	Vented Pullout Shelf	*	*	*	*	*	*	*	*	*	*
SCE-20STS	Stationary Shelf	*	*	*	*	*	*	*	*	*	*
SCE-20VESTS	Vented Stationary Shelf	*	*	*	*	*	*	*	*	*	*

IMS (Industrial Modular System) ACCESSORIES

End Plate

Designed to provide a sealed cover for the open end of IMS enclosures. Provides additional wiring space along the side of the enclosure. Gasket and mounting hardware is included. Made of heavy gauge steel and powder coated RAL 7035 Gray.

Catalog No.	Height (A)	Used With Enclosure Ref. mm Height	Width (B)	Used With Enclosure Ref. mm Depth	Product Code	List Price
SCE-EP1805LG	70.62	1800	17.75	500	P5	225.83
SCE-EP1806LG	70.62	1800	21.75	600	P5	249.43
SCE-EP2005LG	78.48	2000	17.75	500	P5	238.54
SCE-EP2006LG	78.48	2000	21.75	600	P5	265.23



Plinth Base

Designed to install under an enclosure to provide space for cables to enter from below and raise the enclosure up off the floor. Plinth bases are stackable to acquire desired height off the floor. Black textured powder coat finish.

Single-Door Plinth Base

Catalog No.	Ref. mm Height (A)	Ref. mm Height (A)	Width (B)	Used With Enclosure Ref. mm Width	Depth (C)	Used With Enclosure Ref. mm Depth	Product Code	List Price
SCE-P010605	3.94	100	23.62	800	18.00	500	P5	166.54
SCE-P010606	3.94	100	23.62	800	22.00	600	P5	174.75
SCE-P010805	3.94	100	31.50	800	18.00	500	P5	182.57
SCE-P010806	3.94	100	31.50	800	22.00	600	P5	190.78
SCE-P011005	3.94	100	39.37	1000	18.00	500	P5	198.53
SCE-P011006	3.94	100	39.37	1000	22.00	600	P5	206.70

Two-Door Plinth Base

Catalog No.	Ref. mm Height (A)	Ref. mm Height (A)	Width (B)	Used With Enclosure Ref. mm Width	Depth (C)	Used With Enclosure Ref. mm Depth	Product Code	List Price
SCE-P011205	3.94	100	47.24	1200	18.00	500	P5	235.05
SCE-P011206	3.94	100	47.24	1200	22.00	600	P5	243.45
SCE-P011505	3.94	100	62.99	1600	18.00	500	P5	267.15
SCE-P011506	3.94	100	62.99	1600	22.00	600	P5	275.26
SCE-P011605	3.94	100	70.87	1800	18.00	500	P5	290.52
SCE-P011606	3.94	100	70.87	1800	22.00	600	P5	307.03

Barrier Plate

Designed to serve as a barrier between two IMS enclosure sections. Mounting holes. Gasket is included. Made of heavy gauge steel and powder coated RAL 7035 Gray. Bolt Pack SCE-IMSBK sold separately.

Catalog No.	Height (A)	Used With Enclosure Ref. mm Height	Width (B)	Used With Enclosure Ref. mm Depth	Product Code	List Price
SCE-BP1805LG	70.37	1800	17.50	500	P5	174.00
SCE-BP1806LG	70.37	1800	21.50	600	P5	180.50
SCE-BP2005LG	78.24	2000	17.50	500	P5	186.00
SCE-BP2006LG	78.24	2000	21.50	600	P5	200.00

Phone (989) 799-5871
Fax (989) 799-4524



Single-Door Galvanized Sub-Panel

Catalog No.	Height (A)	Ref. mm Height (A)	Used With Enclosure Ref. mm Height	Width (B)	Ref. mm Width (B)	Used With Enclosure Ref. mm Width	Product Code	List Price
SCE-SP1808G	66.44	1887.50	1800	19.69	500	800 & 1200	P5	252.56
SCE-SP1809G	66.44	1887.50	1800	27.56	700	800 & 1600	P5	311.26
SCE-SP1808G	66.44	1887.50	1800	31.50	800	900 & 1800	P5	340.09
SCE-SP1810G	66.44	1887.50	1800	35.43	900	1000	P5	368.52
SCE-SP2008G	74.31	1887.50	2000	19.69	500	800 & 1200	P5	273.49
SCE-SP2009G	74.31	1887.50	2000	27.56	700	800 & 1600	P5	337.77
SCE-SP2009G	74.31	1887.50	2000	31.50	800	900 & 1800	P5	370.01
SCE-SP2010G	74.31	1887.50	2000	35.43	900	1000	P5	402.22

Two-Door Galvanized Sub-Panel

Catalog No.	Height (A)	Ref. mm Height (A)	Used With Enclosure Ref. mm Height	Width (B)	Ref. mm Width (B)	2 Piece Sub-panel	Used With Enclosure Ref. mm Width	Product Code	List Price
SCE-SP1812G	66.44	1887.50	1800	43.31	1100	*	1200	P5	478.73
SCE-SP1816G	66.44	1887.50	1800	59.06	1500	*	1600	P5	594.01
SCE-SP1819G	66.44	1887.50	1800	66.93	1700	*	1800	P5	651.70
SCE-SP2012G	74.31	1887.50	2000	43.31	1100	*	1200	P5	539.50
SCE-SP2016G	74.31	1887.50	2000	59.06	1500	*	1600	P5	648.52
SCE-SP2019G	74.31	1887.50	2000	66.93	1700	*	1800	P5	713.23



Catalog No.	Height (A)	Ref. mm Height (A)	Width (B)	Ref. mm Width (B)	Used With Enclosure Ref. mm Width	Product Code	List Price
SCE-GP08	10.00	254	11.00	279	600, 1200	P2	75.04
SCE-GP16	10.00	254	19.00	483	900, 1000, 1500, 1800	P2	82.33



Catalog No.	Height (A)	Ref. mm Height (A)	Width (B)	Ref. mm Width (B)	Used With Enclosure Ref. mm Width	Product Code	List Price
SCE-SGP08	10.00	254	11.00	279	600, 1200	P2	90.05
SCE-SGP16	10.00	254	19.00	483	900, 1000, 1500, 1800	P2	97.33



IMS (Industrial Modular System) ACCESSORIES

Galvanized Sub-Panel

Sub-panels are constructed from galvanized steel for direct bonding of electrical components.

* 2 piece sub-panels are manufactured as two separate pieces and designed to be bolted together. Bolt pack included.

Gland Plates

Gland plates designed for use in our IMS enclosures to allow for easy removal of the plate for installation of cable entry cutouts into enclosure. Includes seamless oil and water resistant gasket to maintain the environmental rating of the enclosure. Powder coated RAL 7035.

Sliding Gland Plate

Sliding gland plates are designed to allow for easy cable entry into enclosure. Allows 6 inch of adjustable opening for cable entry and a 1 inch foam lined edge maintains a tight seal. Powder coated RAL 7035.

IMS (Industrial Modular System) ACCESSORIES

Galvanized Filler Plates

Designed to provide additional mounting surface between sub-panels or sections of a modular enclosure. Slotted mounting holes allow flexible installation.

Catalog No.	Height (A)	Ref. mm Height (A)	Width (B)	Ref. mm Width (B)	Used With Enclosure		Product Code	List Price
					Ref. mm	Ref. mm Height		
SCE-FP18G	66.44	1687.50	3.88	98.50	1800		P5	97.10
SCE-FP20G	74.31	1887.50	3.88	98.50	2000		P5	104.66



Filler Plate

Sub-Panel Mounting Strap

Designed to provide additional mounting to the center of sub-panels on the right and left sides of a modular enclosure. Made of galvanized material.

Catalog No.	Length (C)	Ref. mm Length (C)	Used With Enclosure		Parts Per Kit	Product Code	List Price
			Ref. mm	Ref. mm Depth			
SCE-SPMP05	16.75	423.45	500		2	P5	28.74
SCE-SPMP06	20.75	527.05	600		2	P5	33.54



Sub-Panel Mounting Strap

U-Shape Rack Angles

Designed for use in IMS enclosure to provide provisions for the installation of rack mounted equipment and allow position at the desired rack mounting width and depth. Made of galvanized material and powder coated white.

Catalog No.	Height (A)	Ref. mm Height (A)	Used With Enclosure		Quantity Per Kit	Product Code	List Price
			Ref. mm	Ref. mm Height			
SCE-LRA18	66.94	1689	1800		2	P5	110.32
SCE-LRA20	74.94	1887	2000		2	P5	116.96



L-Shape Rack Angles

Designed for use in IMS enclosure to provide provisions for the installation of rack mounted equipment and allow position at the desired rack mounting width and depth. Made of galvanized material and powder coated white.

Catalog No.	Height (A)	Ref. mm Height (A)	Used With Enclosure		Quantity Per Kit	Product Code	List Price
			Ref. mm	Ref. mm Height			
SCE-LRA18	66.50	1689	1800		2	P5	110.32
SCE-LRA20	75.00	1887	2000		2	P5	116.96



Phone (989) 799-6871
Fax (989) 799-4524



IMS (Industrial Modular System) ACCESSORIES

Top End Mounting Grid

Designed to provide a flexible extension to the mounting system. Top-end grid to be installed in the top of the enclosure between the mounting channel and the side of the enclosure. Made of galvanized material.



Catalog No.	Parts Per Kit	Product Code	List Price
SCE-TEMG	2	P5	24.38

End Mounting Grid

Designed to provide a flexible extension to the mounting system. End grid to be attached to the mounting channel in the top or bottom of the enclosure. Made of galvanized material.



Catalog No.	Parts Per Kit	Product Code	List Price
SCE-EMG	2	P5	26.74

Catalog No.	Length (C)	Ref. mm Length (C)	Used With Enclosure		Quantity Per Kit	Product Code	List Price
			Ref. mm	Ref. mm Width			
SCE-FMG05	12.80	325	500		2	P5	28.74
SCE-FMG06	16.73	425	600 & 1200		2	P5	33.54
SCE-FMG08	24.61	625	800 & 1600		2	P5	42.86
SCE-FMG09	28.54	725	900 & 1800		2	P5	47.39
SCE-FMG10	32.47	825	1000		2	P5	51.92
SCE-FMG	10.51	267	1200, 1600 & 1800		2	P5	26.21

Filler Mounting Grid

Designed to provide a flexible extension to the internal mounting system. Filler grid to be installed between the mounting channels and top or bottom of the modular enclosure. Made of galvanized material.



Filler Mounting Grid



Phone (989) 799-6871
Fax (989) 799-4524

IMS (Industrial Modular System) ACCESSORIES

Horizontal Mounting Grid

Designed to provide a horizontal extension of the frame holes in the sides of the IMS enclosure. Sold in sets of two with mounting hardware included. Made of galvanized material.

Catalog No.	Width (B)	Ref. mm Width (B)	Quantity Per Kit	Product Code	List Price
SCE-HMG175	6.89	175	2	P5	19.27
SCE-HMG225	8.88	225	2	P5	20.90
SCE-HMG300	11.81	300	2	P5	23.19
SCE-HMG400	15.75	400	2	P5	26.45
SCE-HMG475	18.70	475	2	P5	28.75
SCE-HMG575	22.62	575	2	P5	32.75
SCE-HMG675	26.56	675	2	P5	35.93
SCE-HMG775	30.50	775	2	P5	38.97



Horizontal Mounting Grid


Vertical Mounting Grid

Designed to provide a vertical extension from top to bottom of the IMS enclosure. Sold in sets of two and mounting hardware is included. Made of galvanized material.

Catalog No.	Height (A)	Used With Ref. mm Height (A)	Enclosure Ref. mm Height	Quantity Per Kit	Product Code	List Price
SCE-VMG18	66.93	1687.50	1800	2	P5	81.19
SCE-VMG20	74.80	1887.50	2000	2	P5	87.71



Vertical Mounting Grid



Phone (989) 799-6871
Fax (989) 799-4524



IMS (Industrial Modular System) ACCESSORIES

Grid Mounting Angle

Designed to provide flexible mounting of horizontal and vertical mounting grids. Made of galvanized material.



Catalog No.	Parts Per Kit	Product Code	List Price
SCE-GMA	4	P5	20.23

Catalog No.	Parts Per Kit	Product Code	List Price
SCE-FMA	4	P5	36.00



Floor Mounting Angle

Floor Mounting Angles

Designed for use with IMS enclosures when the enclosure must be secured to the floor. Kit contains four floor mounting angles and mounting hardware. Black textured powder coat finish.

Catalog No.	Height (A)	Ref. mm Height (A)	Width (B)	Ref. mm Width (B)	Used With Enclosure Ref. mm Height	Used With Enclosure Ref. mm Width	Product Code	List Price
SCE-DF1806	65.88	1675.35	19.38	492.25	1800	600 & 1200	P5	308.83
SCE-DF1808	65.88	1675.35	27.25	692.15	1800	800 & 1600	P5	351.82
SCE-DF1809	65.88	1675.35	31.25	793.75	1800	1800	P5	373.63
SCE-DF1810	65.88	1675.35	35.13	892.30	1800	1000	P5	394.84
SCE-DF2006	73.75	1873.25	19.38	492.25	2000	600 & 1200	P5	322.38
SCE-DF2008	73.75	1873.25	27.25	692.15	2000	800 & 1600	P5	370.37
SCE-DF2009	73.75	1873.25	31.25	793.75	2000	1800	P5	394.69
SCE-DF2010	73.75	1873.25	35.13	892.30	2000	1000	P5	418.36

Dead Front/Swing Panel

Designed For installation into IMS enclosures, to be installed in the front of an enclosure and to swing out of the enclosure. Kit consists of heavy gauge brackets, hinges, and mounting hardware. Installed by detaching door hinge from enclosure and installing swing out panel kit to the existing holes and hinge supplied with the enclosure. Made of heavy gauge steel and powder coated white.



Dead Front/Swing Panel



Phone (989) 799-6871
Fax (989) 799-4524

IMS (Industrial Modular System) ACCESSORIES

Nut Retainer

Designed to install in the square holes provided in mounting grids.



Channel Nuts

Designed for use in IMS enclosures to allow mounting of additional equipment.



Main Single-Door Mechanical Interlock

Interlock kit designed for use on the main door of IMS Single-Door enclosures.

Main Two-Door Mechanical Interlock

Interlock kit designed for use on the main door of IMS Two-Door enclosures.

Slave Door Mechanical Interlock

Interlock kit designed for use on the slave door of IMS enclosures.

IMS Bolt Pack

Designed to be used as an additional gasket or to replace gasket kits when changing modular enclosure configurations. Includes oil resistant gasket and zinc coated nuts and bolts. Required when bolting one enclosure to another.

Catalog No.	Size	Quantity Per Kit	Product Code	List Price
SCE-NR1032	10-32	20	P5	25.20
SCE-NR1420	1/4 - 20	20	P5	25.20

Catalog No.	Size	Quantity Per Kit	Product Code	List Price
SCE-PS1420	1/4 - 20	20	P2	46.94
SCE-PS51618CN	5/16 - 18	20	P5	48.97

Catalog No.	Product Code	List Price
SCE-MDM1	P5	150.46

Catalog No.	Product Code	List Price
SCE-MDM2	P5	81.14

Catalog No.	Product Code	List Price
SCE-SDM1	P5	75.23

Catalog No.	Product Code	List Price
SCE-IMSBK	P5	42.00

Phone (989) 799-6871
Fax (989) 799-4524



Phone (989) 799-6871
Fax (989) 799-4524