




NEXR INSTALLATION



132942 BOM		
Item	Qty	Part Description
1	4	10-32 Flange Nut
2	2	0.38-16 X 0.75 Mtg Hardware
3	1	Sub-Panel and Grounding Hardware
4	1	Hole Plug - Kit
5	1	EXD and EXR Cover plate
6	1	Strip Gasket



Gasket Installation:
Starting at the bottom of the external disconnect, install the gasket (item 6) around the side of the enclosure between the edge and the holes. Edge the end of the gasket up to the start point to ensure no water can travel through.



Provisions for Compact Fusible Disconnect with Rotary handle


30 to 200 amps: Allen-Bradley 194R, Square D GS2, Eaton/Bussmann R9, Siemens CFS models and Socomec Fuserbloc models.

400/600 amps: Allen-Bradley 194R, Square D GS2, Eaton/Bussmann R9, Siemens CFS models and Socomec Fuserbloc models.

Provides protection from dirt, dust, oil and water.


See page 6 for modifications required by some Allen-Bradley Operating Handles

Using the provided bolt pack (item 2) use the mounting hardware to mount the external disconnect.




DETAIL A
SCALE 8:6



Provisions when Mechanical
Interlock SCE-NEXDMLK is needed



SCE-NEXD12/SS
12" Minimum Enclosure Depth




SCE-NEXD12A6/SS
12" Minimum Enclosure Depth



DETAIL A
SCALE 8:6


Provisions when Mechanical Interlock SCE-NEXDMLK is needed

SCE-NEXD16/SS
16" Minimum Enclosure Depth




DETAIL A
SCALE 8:6


Provisions when Mechanical
Interlock SCE-NEXDMLK is needed



SCE-NEXD18/SS
18" Minimum Enclosure Depth




SCE-NEXD18A6/SS
18" Minimum Enclosure Depth




DETAIL A
SCALE 8:6

Provisions when Mechanical
Interlock SCE-NEXDMLK is needed



SCE-NEXD24/SS
24" Minimum Enclosure Depth



SCE-NEXD24A6/SS
24" Minimum Enclosure Depth

CUTOUT DETAIL MODIFICATIONS

Do Not Scale

STANDARD CUTOUT

ALLEN-BRADLEY


Catalog Number

194R-HM4-L

-HM4E-L

-HM4-N2-L

-HM4E-N2-L




ALLEN-BRADLEY


Catalog Number

194R-P...

140U-P...



or



ALLEN-BRADLEY 400 AMP

Catalog Number

194R-HM4

-HM4E

